

573	head with (probe\$1 with cylindr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT
13658	head with probe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT
65	(probe\$1) and (optical with fiber\$1) and (cylindr\$7) and (helmet or (shell with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT
32	(probe\$1) and (optical with fiber\$1) and (cylindr\$7) and (helmet or (shell with plate)) and (brain or scalp)	US-PGPUB; USPAT; EPO; JPO; DERWENT
65	(probe\$1) and (optical with fiber\$1) and (cylindr\$7) and (helmet or (shell with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	(probe\$1 with light) and (optical with fiber\$1) and (cylindr\$7) and (helmet or (shell with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	(probe\$1 with light) and (optical with fiber\$1) and wavelength\$1 and (cylindr\$7) and (helmet or (shell with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	(probe\$1 with light) and (optical with fiber\$1) and wavelength\$1 and (fiber\$1 with fix\$3) and (cylindr\$7) and (helmet or (shell with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	(probe\$1 with light) and (optical with fiber\$1) and wavelength\$1 and (fiber\$1 with fix\$3) and (cylindr\$7 with (cut or slit or half or sem)) and (head or brain or cerebral or neural)	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	(probe\$1 with light) and (optical with fiber\$1) and wavelength\$1 and (fiber\$1 with fix\$3) and (cylindr\$7 with (cut or slit or half or sem))	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	probe\$1 and (optical with fiber\$1) and (cylindr\$4 with (cut or semi or half)) and support and fixing	US-PGPUB; USPAT; EPO; JPO; DERWENT
121	probe\$1 and (optical with fiber\$1) and (cylindr\$4 with (cut or semi or half)) and support	US-PGPUB; USPAT; EPO; JPO; DERWENT
222	probe\$1 and (optical with fiber\$1) and (cylindr\$4 with (cut or semi or half))	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	probe\$1 and (optical with fiber\$1) and (fiber\$1 near fix\$3) and (support with member)	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	probe\$1 with (cylindr\$7 with (half or semi or cut)) and brain and (optical with fiber\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT

Hits	Search Query	DBs
15	S292 and probe\$1 with cylindr\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT
3362	(optical with fiber\$1) with bent	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	probe with claw and (optical with fiber\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT
116	probe with claw	US-PGPUB; USPAT; EPO; JPO; DERWENT
731	probe and claw	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	probe with ((slit or cut or semi or incomplete or half) with cylindr\$6) and (brain or hair or cerebral or neural)	US-PGPUB; USPAT; EPO; JPO; DERWENT
406	probe with ((slit or cut or semi or incomplete or half) with cylindr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT
406	probe with (slit or cut or semi or incomplete or half) with cylindr\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	S274 and (semi or incomplete or half) with cylindr\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	S274 and (semi or incomplete or half)	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	(probe with cylindr\$6) with (brain or hair or cerebral)	US-PGPUB; USPAT; EPO; JPO; DERWENT
445	(probe with holder) with (brain or head or cerebral)	US-PGPUB; USPAT; EPO; JPO; DERWENT
1425	(probe with holder) and (brain or head or cerebral)	US-PGPUB; USPAT; EPO; JPO; DERWENT
5636	(probe with holder)	US-PGPUB; USPAT; EPO; JPO; DERWENT
39	head with (probe\$1 with cylindr\$6 with hollow)	US-PGPUB; USPAT; EPO; JPO; DERWENT

23	probe\$1 with (cylind\$7 with (half or semi or cut)) and brain	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	(optical with fiber\$1) and probe\$1 with (cylind\$7 with (half or semi or cut)) and (probe\$1) and light and wavelength\$1 and (holder\$1 or cas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	(optical with fiber\$1) with (cylind\$7 with (half or semi or cut)) and (probe\$1) and light and wavelength\$1 and (holder\$1 or cas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	(optical with fiber\$1) with (cylind\$7 with (half or semi or cut)) and (probe\$1) and light and wavelength\$1 and (holder\$1 or cas\$3 or contain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
94	(optical with fiber\$1) with (fiber with fixing) and (cylind\$7 with (half or semi))	US-PGPUB; USPAT; EPO; JPO; DERWENT
485	(probe\$1 with holder\$1) with (head or scalp or brain)	US-PGPUB; USPAT; EPO; JPO; DERWENT
49	(probe\$1 with holder\$1) and (optical with fiber\$1) and (head or brain or scalp) and (cylind\$7) and (shell or plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT
89	(probe\$1 with holder\$1) and (optical with fiber\$1) and (head or brain or scalp) and (cylind\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT
163	(probe\$1 with holder\$1) and (optical with fiber\$1) and (head or brain or scalp)	US-PGPUB; USPAT; EPO; JPO; DERWENT
70	(probe\$1) and (optical with fiber\$1) and (head or brain or scalp) and (cylind\$7 with (half or semi))	US-PGPUB; USPAT; EPO; JPO; DERWENT
124	(probe\$1) and (optical with fiber\$1) and (head or brain or scalp) and (cylind\$7 with (half or semi or cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	(probe\$1 with holder\$1) and (optical with fiber\$1) and scalp and (fix\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	(probe\$1 with holder\$1) and (optical with fiber\$1) and scalp	US-PGPUB; USPAT; EPO; JPO; DERWENT
61	(probe\$1 with holder\$1) with (plate with hole\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	(probe with light) and (optical with fiber\$1) and (cylind\$7 with (cut or split or half or slot or access)) and (support\$3 with member)	US-PGPUB; USPAT; EPO; JPO; DERWENT

150	(probe with light) and (optical with fiber\$1) and (cylind\$7 with (cut or split or half or slot or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT
-----	---	---